


TREE PLANTING DETAIL (SEMI-ADVANCED) Scale 1:20 @ A1



TREE PLANTING DETAIL WITH GRADE Scale 1:20 @ A1

Note: 2-Way White Raised Reflective Pavement Markers (RRPM) to be installed at 8m centres to both sides os Shared Path. RRPM to be aligned with trees along length of path. Install to manufactures specification. Refer 2-Way RRPM typical setout detail.

CR512 | Scale 1:10 @ A1

CONCRETE PAVING TYPICAL DETAIL

Note: Contractor to ensure positive drainage to all concrete paving

125mm thick 25mpa exposed aggregate concrete with F72 reinforcement (30 cover, top). Finish as per specification.

75mm layer of Class 2 F.C.R. compacted to 95% M.M.D.D.

Site soil trimmed and compacted to 95% M.M.D.D.

RRPM to be installed 100m from edge of path. RRPM to be aligned with trees along length of

path. Install to manufactures specification. To be 150m from cage of concrete

2-WAY RRPM TYPICAL SET OUT DETAIL

Scale 1:200 @ A1

NOTE: Contractor to achieve positive NOTE: Granitic Sand area shall have timber edge drainage across site with minimum 1:100 unless stated otherwise. Refer: timber edge detail grade falls. -Minimum 100mm compacted granitic sand compacted to 95% M.M.D.D. Minimum 1:100 Fall Finish as per specification. -Minimum 50mm compacted layer of Class 2 F.C.R. Subgrade trimmed and compacted to

95 % M.M.D.D.

GRANITIC SAND DETAIL Scale 1:10 @ A1

K AND DIVIDED OF THE WIND AND AND AND IN THE FIRM OF HE AND IN 1994 LEES THE HUTTHE -Hydroseed with seed mix as detailed in Specification 300mm depth cultivated approved topsoil. To consist of 150mm site cultivated soil and 150mm approved site stockpiled topsoil - Refer to specification. Existing subgrade

HYDROSEEDING GRASS DETAIL

Scale 1:10 @ A1

Plants to be disease-free specimens. Water plants prior to and immeadiately after planting. Minimum 75mm layer of approved mulch as per specification. Vvoid contact between mulch and base of plant. 300mm depth cultivated approved topsoil. To consist of 150mm site cultivated soil and 150mm approved site stockpiled topsoil - Refer to specification Over excavate hole by minimum twice rootball and ensure sides are roughend and base is domed. Backfill with approved soil. -Existing subgrade.

TUBESTOCK PLANTING DETAIL Scale 1:10 @ A1

Spade cut 100mm deep edge with angle between 80° and 90°. NOTE: All mulched areas to be crowned towards centre of area - minimum 1:50

NOTE: Spade edge to all grass / garden bed

tapered to adjacent surface.

Minimum 75mm layer of approved mulch

SPADE EDGE AND MULCH DETAIL

Scale 1:10 @ A1

NOT FOR CONSTRUCTION

A ISSUED FOR TENDER AMP Approved

AS SHOWN



Spiire Australia Pty Ltd All Rights Reserved



ARN 55 050 029 635

spiire.com.au



AL AMP 20-07-16

M40 WATER MAIN ST GEORGES RD DIAL BEFORE REFERENCE DRAWINGS YOU DIG LANDSCAPE PLAN

DETAILS

PRELIMINARY 302593CR512

N

TM

MELBOURNE WATER